Homework 4

Software Design **Allen B. Downey**
Fall 2004

Due: Thursday 30 September
The reading for this assignment is Chapters 9–10 of *How to think....*

4.1 Textual Analysis

1. Project Gutenberg (PG) is a non-profit organization dedicated to creating a free electronic archive of books whose copyright has expired. More than 12,000 of these books are available for download from

   `http://gutenberg.net`

   Go to PG and download your favorite of the available books.

2. Create a file named `analyze.py` and type in the following code:

   ```
   import sys

   def main(script, filename):
       fp = open(filename)
       for line in fp:
           print line

   if __name__ == '__main__':
       print sys.argv
   ```

   The `sys` module contains functions and variables that pertain to the operating system, including `sys.argv`, which is a list that contains the arguments you provide on the command line[1].

   If you run the program like this:

   ```
   python analyze.py gatsby.txt
   ```

   You should get a list like this:

   ```
   ['analyze.py', 'gatsby.txt']
   ```

[1] The name is inherited from C; it stands for "argument vector".

Of course, instead of `gatsby.txt` you should use the name of the file where you stored your favorite book.

Now remove the line that says `print sys.argv` and replace it with `main(*sys.argv)`; in other words, invoke `main` and use `sys.argv` as the list of arguments. I'll explain what the `*` means in class.

If you run the program again, it should print the contents of the file. Notice that PG includes some information at the beginning and end that is not part of the book. Edit the file and remove the extra stuff.

3. Now, the goal of this homework is to write a program that counts the number of words in a book, and the number of *different* words in a book. If you want, you can stop reading now and skip to step 4.

   What follows is a list of suggestions for **incremental development** of the program.

   The fundamental principles of incremental development are:

   - Start with a working program.
   - At each step, add the least amount of code that yields a testable result.
   - If the program fails, it should be easy to find the problem.
   - When the program works, go on to the next step.

   The best thing about incremental development is that it minimizes the time you spend debugging. The challenging thing is that it is not always easy to imagine a series of small steps that goes from the starting place to the destination.

   Here are some *suggestions* for steps you might want to follow:

   (a) While you are debugging, work with just the first chapter of the book, or even less. You can use `cp` to make a copy of the file and then `emacs` to remove most of the book. Or you can use `head` to get the beginning of the file and redirect the output into another file.

   (b) Modify the program so that instead of printing the lines of the book, count the lines of the book and print the total.

   (c) Write a function called `process_line` and pass each line of the file to it.

   (d) Make the counter a global variable. It should be initialized outside of any function, incremented in `process_line`, and printed in `main`.

   Hint: if you want to *write* a global variable inside a function, you have to declare the variable `global`:

   ```
   x = 7

   def f():
       global x        # when I say x, I mean the global x
       x = x + 1
   ```

   (e) Break each line into words and print the words.

   (f) Count the number of words and print the result.

(g) Get rid of punctuation and convert all the words to lower case.

(h) To count the number of different words, we have a pretty good idea that we want to use a dictionary. Make sure you have read Chapter 10, and then take some time to test some of the operations using the interpreter. This is time well spent!

(i) As the program traverses the book, make an entry for each unique word, and then print the dictionary. Again, use a small part of the book to start with.

(j) Instead of printing the dictionary, print just the keys from the dictionary and confirm that at least most of them are legitimate, unique words.

(k) Finally, print the number of different words in the book.

(l) Once you have a working program, review the code and look for opportunities to improve it, including renaming variables and functions to describe their role more accurately, encapsulating code into functions, generalizing functions where appropriate, and refactoring existing functions.

Even if you don't do the JFFEs that follow, you might want to think about them, because they will give you ideas for how you might improve your code.

4. As a JFFE, check to see how many of the words in the book also appear in the list of words we used for the last homework. Are there any typos in the book you downloaded? Are there any legitimate words in your book that aren't in the word list?

5. As another JFFE, count the number of times each word appears in the text, and print the ten most common words.

WHAT TO TURN IN: As always, you should make your printed code as presentable as possible before you turn it in.

You should hand in a copy of `analyze.py`. Please write on the page, or include in the comments, the book you analyzed and the results (total number of words, and number of different words).